

Issue Date: 16-Nov-2018

Revision Date: 17-Apr-2020

Version 3

**1. IDENTIFICATION**

**Product Identifier**

**Product Name** United 51 Foaming OVEN AND GRILL CLEANER

**Other means of identification**

**SDS #** UNITED-51

**UN/ID No** UN1814

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Foaming Oven and Grill Cleaner.

**Uses Advised Against** For industrial and institutional use only.

**Details of the supplier of the safety data sheet**

**Supplier Address**

United Laboratories, Inc.  
320 37th Avenue  
St. Charles, IL 60174  
www.unitedlabsinc.com

**Emergency Telephone Number**

**Company Phone Number** 800-323-2594 (to reorder)  
**Emergency Telephone (24 hr)** INFOTRAC 1-800-535-5053 (North America)  
1-352-323-3500 (International)

**2. HAZARDS IDENTIFICATION**

**Appearance** Clear yellow liquid

**Physical State** Liquid

**Odor** Slight ether

**Classification**

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

**Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed.

**Signal Word**

Danger

**Hazard Statements**

Causes severe skin burns and eye damage May cause damage to organs through prolonged or repeated exposure.



**Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling.

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Precautionary Statements - Storage**

Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Unknown Acute Toxicity**

5.6% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium hydroxide	1310-58-3	Proprietary
Trade Secret	Proprietary	Proprietary
Trade Secret	Proprietary	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>General Advice</b>	If exposed or concerned: Get medical advice/attention.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
<b>Skin Contact</b>	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air. Oxygen or artificial respiration if needed. Call a physician or poison control center immediately.
<b>Ingestion</b>	Do not induce vomiting. Call a physician or poison control center immediately. Drink large amounts of water. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects**

<b>Symptoms</b>	Burning and/or irritation to eyes and skin. May cause irritation to the mucous membranes and upper respiratory tract. Irritation and corrosive burns to mouth, throat, and stomach.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Water. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Alcohol resistant foam.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Combustion products may be toxic.

**Hazardous Combustion Products** Phosphorus oxides. Carbon oxides.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for disposal. Small spills may be permitted to be flushed to a sanitary sewer. Check with local authorities before proceeding.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. When diluting, always add acid slowly to water and stir well to avoid spattering. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Store away from incompatible materials. Protect container from physical damage. Keep out of the reach of children. Keep closed containers from hard freezing as this could cause the drum to rupture.

**Incompatible Materials** Acids. Strong oxidizing agents. Leather. Wool. Metals such as aluminum, tin, and zinc.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

Trade Secret	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Trade Secret	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash proof chemical safety goggles.

**Skin and Body Protection** Wear rubber or neoprene gloves.

**Respiratory Protection** General ventilation is normally adequate. Use appropriate respiratory protection if application method produces a fine spray or mists. Use NIOSH/MSHA approved respiratory protection equipment when airborne exposure limits are exceeded.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Slight ether
<b>Appearance</b>	Clear yellow liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Yellow	<b>Remarks • Method</b>	
<b>Property Values</b>			
<b>pH</b>	13-14		
<b>Melting Point/Freezing Point</b>	Not determined		
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F		
<b>Flash Point</b>	None		
<b>Evaporation Rate</b>	~ 1		
<b>Flammability (Solid, Gas)</b>	n/a-liquid		
<b>Upper Flammability Limits</b>	Not determined		
<b>Lower Flammability Limit</b>	Not determined		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	Not determined		
<b>Specific Gravity</b>	1.12	(Water = 1)	
<b>Water Solubility</b>	Completely soluble		
<b>Solubility in other solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Auto-ignition Temperature</b>	Not determined		
<b>Decomposition Temperature</b>	Not determined		
<b>Kinematic Viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		
<b>Oxidizing Properties</b>	Not determined		
<b>VOC Content</b>	4%		

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

This product reacts violently with bases, spattering and liberating heat. Hazardous polymerization does not occur.

**Conditions to Avoid**

Keep out of reach of children.

**Incompatible Materials**

Acids. Strong oxidizing agents. Leather. Wool. Metals such as aluminum, tin, and zinc.

**Hazardous Decomposition Products**

Oxides of phosphorous. Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	May be harmful if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide 1310-58-3	= 214 mg/kg ( Rat )	-	-
Trade Secret	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h

**Information on physical, chemical and toxicological effects**

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Carcinogenicity</b>	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, ACGIH, or NTP.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.

**Numerical measures of toxicity**

Not determined.

<b>Unknown Acute Toxicity</b>	5.6% of the mixture consists of ingredient(s) of unknown toxicity.
-------------------------------	--

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Not determined.

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Not determined.

**Other Adverse Effects**

Not determined.

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Shipping in quarts under DOT: Consumer commodity ORM-D.

**DOT**

UN/ID No	UN1814
Proper Shipping Name	Potassium hydroxide, solution
Hazard Class	8
Packing Group	II

**IMDG**

UN/ID No	UN1814
Proper Shipping Name	Potassium hydroxide, solution
Hazard Class	8
Packing Group	II

**IATA**

UN/ID No	Please contact manufacturer for more information.
----------	---

**15. REGULATORY INFORMATION****International Inventories**

TSCA	Listed.
------	---------

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**US Federal Regulations**

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 311/312 Hazard Categories**

Not determined.

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Trade Secret -		Proprietary	1.0

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 ( Proprietary )	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Trade Secret	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

2

**Flammability**

0

**Physical Hazards**

0

**Personal Protection**

P &amp; N

**Issue Date:**

16-Nov-2018

**Revision Date:**

17-Apr-2020

**Revision Note:**

Revised Section 9

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**